ELSEVIER

Gene Structure and Expression

Vol. 1260, 1995

BBA Biochimica et Biophysica Acta

Author Index

Adams, S.-L., Foldes, R.L. and Kamboj, R.K.
Human *N*-methyl-D-aspartate receptor modulatory subunit hNR3: cloning and sequencing of the cDNA and primary structure of the protein (1260) 105
Akamatsu, M., see Grossman, L.I. (1260) 361
Albach, R.A., see Huang, M. (1260) 215
Allard, S., Labbé, M. and Falardeau, P.
Recombination of endogenous D_2 dopamine receptor gene with a metallothionein promoter in GH4C1 cells confers functional and inducible D_2 response (1260) 43
Appleby, S.B., see Hla, T. (1260) 227
Arakawa, T., see Samal, B.B. (1260) 27
Arezina, J., see Musarrat, J. (1260) 276

Badgett, A., see Prasadan, K. (1260) 328
Bates, J., see Prasadan, K. (1260) 328
Bäuerle, A. and Mutzel, R.
Nucleotide sequence of the gene for ribosomal protein S17 from *Dictyostelium discoideum* (1260) 223
Belote, J.M., see Yuan, X. (1260) 369
Berglund, L., see Johnsen, L.B. (1260) 116
Boldyreff, B., see Hoffmann, U. (1260) 337
Bone, S. and Small, C.A.
Dielectric studies of ion fluctuation and chain bending in native DNA (1260) 85
Boon, W.C., Roche, P.J., Hammond, V.E., Jeyaseelan, K., Crawford, R.J. and Coghlan, J.P.
Cloning and expression analysis of a cytochrome $P\text{-}450_{11\beta}$ cDNA in sheep (1260) 109
Boone, T.C., see Samal, B.B. (1260) 27
Brennan, P. and O'Neill, L.A.J.
Effects of oxidants and antioxidants on nuclear factor κB activation in three different cell lines: evidence against a universal hypothesis involving oxygen radicals (1260) 167

Chan, Y.-L. and Wool, I.G.
The primary structure of rat ribosomal protein L22 (1260) 113
Chang, K.-P., see Huang, M. (1260) 215
Chang, Y.-H., see Li, X. (1260) 333
Choi, Y.-J., see Trackman, P.C. (1260) 355
Cimino, F., see Esposito, F. (1260) 308
Coghlan, J.P., see Boon, W.C. (1260) 109
Crandall, C.A., see Samal, B.B. (1260) 27
Crane-Robinson, C., see Hills, D. (1260) 14
Crawford, R.J., see Boon, W.C. (1260) 109
Cuccovillo, F., see Esposito, F. (1260) 308
Czerwinski, R.M., see Staron, K. (1260) 35

Daban, J.-R., see Fernandez-Busquets, X. (1260) 132
Davie, J.R., see Nagaraja, S. (1260) 207
De Kleijn, D.P.V., De Leeuw, E.P.H., Van den Berg, M.C., Martens, G.J.M. and Van Herp, F.
Cloning and expression of two mRNAs encoding structurally different crustacean hyperglycemic hormone precursors in the lobster *Homarus americanus* (1260) 62
Delcuve, G.P., see Nagaraja, S. (1260) 207
De Leeuw, E.P.H., see De Kleijn, D.P.V. (1260) 62
Dell, M., see Prasadan, K. (1260) 328
Dimitrov, S. and Wolffe, A.P.
Chromatin and nuclear assembly: experimental approaches towards the reconstitution of transcriptionally active and silent states (1260) 1
Duchange, N., see Rozé, A. (1260) 301
Durand, J., see Mickey, G. (1260) 123

Eikvar, L., see Taskén, K.A. (1260) 269
Einzenberger, E., Eller, N., Heberle-Bors, E. and Vicente, O.
Isolation and expression during pollen development of a tobacco cDNA clone encoding a protein kinase homologous to shaggy/glycogen synthase kinase-3 (1260) 315
Ekholm, E., see Määttä, A. (1260) 294
Eliceiri, G.L., see Selvamurugan, N. (1260) 230
Eller, N., see Einzenberger, E. (1260) 315
Erickson, R.P., see Grossman, L.I. (1260) 361
Esposito, F., Cuccovillo, F., Morra, F., Russo, T. and Cimino, F.
DNA binding activity of the glucocorticoid receptor is sensitive to redox changes in intact cells (1260) 308

Falardeau, P., see Allard, S. (1260) 43
Feres-Filho, E.J., see Trackman, P.C. (1260) 355
Fernandez-Busquets, X. and Daban, J.-R.
Histones associated with single-stranded DNA do not preclude the formation of double-helical DNA (1260) 132
Foldes, R.L., see Adams, S.-L. (1260) 105

Gho, B.C.G., see Sharma, H.S. (1260) 235
Glassford, S., see Harrison, T.M. (1260) 147
Godson, N.G., see Kodaira, K.-I. (1260) 191
Gong, Z. and Hew, C.L.
Several splicing variants of *isl-1* like genes in the chinook salmon (*Onçorhynchus tschawytscha*) encode truncated transcription factors containing a complete LIM domain (1260) 349
Gorin, M.B., To, A.C. and Narfstrom, K.
Sequence analysis and exclusion of phosducin as the gene for the recessive retinal degeneration of the abyssinian cat (1260) 323
Grossman, L.I., Rosenthal, N.H., Akamatsu, M. and Erickson, R.P.
Cloning, sequence analysis, and expression of a mouse cDNA encoding cytochrome *c* oxidase subunit VIa liver isoform (1260) 361
Guerriero Jr., V., see Gutierrez, J.A. (1260) 239
Gutierrez, J.A. and Guerriero Jr., V.
Relative abundance of bovine Hsp70 mRNA and protein (1260) 239

Hagendorff, G., Hanes, J., Von der Kammer, H. and Scheit, K.H.
A monoclonal antibody generated against a recombinant peptide fragment of the B3 domain of carcinoembryonic antigen reacts with intact carcinoembryonic antigen (1260) 259
Hammond, V.E., see Boon, W.C. (1260) 109
Hanes, J., see Hagendorff, G. (1260) 259
Hansson, V., see Taskén, K.A. (1260) 269
Hanstein, W.G., see Strotkamp, D. (1260) 341
Harrison, T.M., Hudson, K., Munson, S.E., Uff, S. and Glassford, S.
Derivation and partial analysis of two highly active myeloma cell transfectants (1260) 147

Hata, S., Inoue, T., Kosuga, K., Nakashima, T., Tsukamoto, T. and Osumi, T.
Identification of two splice isoforms of mRNA for mouse hepatocyte nuclear factor 4 (HNF-4) (1260) 55
Hata, S., see Inoue, T. (1260) 49
Hata, S., see Kosuga, K. (1260) 345
Haugen, T.B., see Taskén, K.A. (1260) 269
Heberle-Bors, E., see Einzenberger, E. (1260) 315
Hecht, R., see Hoffmann, U. (1260) 337
Hew, C.L., see Gong, Z. (1260) 349
Hills, D. and Crane-Robinson, C.
Baculovirus expression of human basic fibroblast growth factor from a synthetic gene: role of the Kozak consensus and comparison with bacterial expression (1260) 14
Hla, T., Jackson, A.Q., Appleby, S.B. and Maciag, T.
Characterization of edg-2, a human homologue of the *Xenopus* maternal transcript G10 from endothelial cells (1260) 227
Ho, Y.-S., see Wang, S.-L. (1260) 285
Hoffmann, U., Hecht, R., Boldyreff, B. and Issinger, O.-G.
Characterization of the cDNA and three processed pseudogenes from the murine protein kinase CK2 α subunit (1260) 337
Huang, M., Albach, R.A., Chang, K.-P., Tripathi, R.L. and Kemp, R.G.
Cloning and sequencing a putative pyrophosphate-dependent phosphofructo-kinase gene from *Entamoeba histolytica* (1260) 215
Hudson, K., see Harrison, T.M. (1260) 147
Hussey, P.J., see López, I. (1260) 119

Ichihara, J., Shinohara, Y., Kogure, K. and Terada, H.
Nucleotide sequence of the 5′-flanking region of the rat type II hexokinase gene (1260) 365
Ichinose, H., see Ota, A. (1260) 320
Inoue, T., Osumi, T. and Hata, S.
Molecular cloning and functional expression of a cDNA for mouse squalene synthase (1260) 49
Inoue, T., see Hata, S. (1260) 55
Ishikawa, K., see Iwase, K. (1260) 139
Issinger, O.-G., see Hoffmann, U. (1260) 337
Iwamoto, S.-i., see Kotani, E. (1260) 245
Iwase, K., Yamauchi, K. and Ishikawa, K.
Cloning of cDNAs encoding argininosuccinate lyase and arginase from *Rana catesbeiana* liver and regulation of their mRNAs during spontaneous and thyroid hormone-induced metamorphosis (1260) 139
Iwata, M., see Shimadzu, M. (1260) 67

Jackson, A.Q., see Hla, T. (1260) 227
Jacobsen, F.W., see Taskén, K.A. (1260) 269
Jeyaseelan, K., see Boon, W.C. (1260) 109
Johnsen, L.B., Sørensen, E.S., Petersen, T.E. and Berglund, L.
Characterization of a bovine mammary gland PP3 cDNA reveals homology with mouse and rat adhesion molecule GlyCAM-1 (1260) 116
Jones, T., see Samal, B.B. (1260) 27

Kadono-Okuda, K., see Kotani, E. (1260) 245
Kamboj, R.K., see Adams, S.-L. (1260) 105
Kanegasaka, S., see Shimadzu, M. (1260) 67
Kao, M.-C., see Wang, S.-L. (1260) 285
Kato, Y., see Kotani, E. (1260) 245
Kemp, R.G., see Huang, M. (1260) 215
Khan, S., see López, I. (1260) 119
Kikuchi, Y., see Takeuchi, J. (1260) 94
Kneale, G.G., see Turner, G.P. (1260) 79
Kodaira, K.-I., Godson, N.G. and Taketo, A.
Comparative studies on the minus origin mutants of *Escherichia coli* spherical single-stranded DNA phages (1260) 191
Kodaira, K.-I., Oki, M., Taketo, A., Yasukawa, H. and Masamune, Y.
Determination of the single strand origin of *Shigella sonnei* plasmid pKYM (1260) 183
Kogure, K., see Ichihara, J. (1260) 365
Komura, J.-i., Okada, T. and Ono, T.
Repression of transient expression by DNA methylation in transcribed regions of reporter genes introduced into cultured human cells (1260) 73
Kosuga, K., Hata, S., Osumi, T., Sakakibara, J. and Ono, T.
Nucleotide sequence of a cDNA for mouse squalene epoxidase (1260) 345
Kosuga, K., see Hata, S. (1260) 55
Kotani, E., Yamakawa, M., Iwamoto, S.-i., Tashiro, M., Mori, H., Sumida, M., Matsubara, F., Taniai, K., Kadono-Okuda, K., Kato, Y. and Mori, H.
Cloning and expression of the gene of hemocytin, an insect humoral lectin which is homologous with the mammalian von Willebrand factor (1260) 245
Kowalska-Loth, B., see Staron, K. (1260) 35
Kumar, S., see Prasadan, K. (1260) 328
Kuramoto, A., see Takimoto, Y. (1260) 176

Labbé, M., see Allard, S. (1260) 43
Labrie, F., see Séralini, G.-E. (1260) 97
Li, X. and Chang, Y.-H.
Molecular cloning of a human complementary DNA encoding an initiation factor 2-associated protein (p^{67}) (1260) 333
López, I., Khan, S., Vázquez-Ramos, J. and Hussey, P.J.
Molecular cloning of a maize cDNA clone encoding a putative proliferating cell nuclear antigen (1260) 119
Ludolph, D.C., Neff, A.W., Parker, M.A., Mescher, A.L., Smith, R.C. and Malacinski, G.M.
Cloning and expression of the axolotl proto-oncogene ski (1260) 102
Luu-Thé, V., see Séralini, G.-E. (1260) 97

Määttä, A., Ekholm, E. and Penttinen, R.P.K.
Effect of the 3′-untranslated region on the expression levels and mRNA stability of α1(I) collagen gene (1260) 294
Maciag, T., see Hla, T. (1260) 227
Malacinski, G.M., see Ludolph, D.C. (1260) 102
Malacinski, G.M., see Sun, H.B. (1260) 157
Martens, G.J.M., see De Kleijn, D.P.V. (1260) 62
Masamune, Y., see Kodaira, K.-I. (1260) 183
Matsubara, F., see Kotani, E. (1260) 245
Matsuda, I., see Shimadzu, M. (1260) 67
Mescher, A.L., see Ludolph, D.C. (1260) 102
Mescher, A.L., see Sun, H.B. (1260) 157
Mickey, G., Sim, J., Durand, J. and Wills, C.
Use of denaturing gradient electrophoresis to determine the distributions of polymorphisms in entire genes in natural populations (1260) 123
Mori, H., see Kotani, E. (1260) 245
Mori, H., see Kotani, E. (1260) 245
Morra, F., see Esposito, F. (1260) 308
Müller, M., see Rozario, C. (1260) 218
Munson, S.E., see Harrison, T.M. (1260) 147
Musarrat, J., Arezina, J., Uddin, S. and Wani, A.A.
Induction and processing of promutagenic O^4-ethylthymine lesion in specific gene segments of plasmid DNA (1260) 276
Mutzel, R., see Bäuerle, A. (1260) 223

Nag, M.K., see Selvamurugan, N. (1260) 230
Nagaraja, S., Delcuve, G.P. and Davie, J.R.
Differential compaction of transcriptionally competent and repressed chromatin reconstituted with histone H1 subtypes (1260) 207
Nagatsu, T., see Ota, A. (1260) 320
Nakashima, T., see Hata, S. (1260) 55
Narfstrom, K., see Gorin, M.B. (1260) 323
Narhi, L.O., see Samal, B.B. (1260) 27
Neff, A.W., see Ludolph, D.C. (1260) 102

Neff, A.W., see Sun, H.B. (1260) 157
Nieznanski, K., see Staron, K. (1260) 35
Nilsson, A. and Nygård, O.
Effect of oxidizing agents and haemin on the phosphorylation of eukaryotic elongation factor 2 in rabbit reticulocyte lysates (1260) 200
Ninomiya, R., see Shimadzu, M. (1260) 67
Nunoi, H., see Shimadzu, M. (1260) 67
Nygård, O., see Nilsson, A. (1260) 200

Okada, M., see Takeuchi, J. (1260) 94
Okada, T., see Komura, J.-i. (1260) 73
Oki, M., see Kodaira, K.-I. (1260) 183
O'Neill, L.A.J., see Brennan, P. (1260) 167
Ono, T., see Komura, J.-i. (1260) 73
Ono, T., see Kosuga, K. (1260) 345
Osumi, T., see Hata, S. (1260) 55
Osumi, T., see Inoue, T. (1260) 49
Osumi, T., see Kosuga, K. (1260) 345
Ota, A., Ichinose, H. and Nagatsu, T.
Mouse sepiapterin reductase: an enzyme involved in the final step of tetrahydrobiopterin biosynthesis. Primary structure deduced from the cDNA sequence (1260) 320

Pai, S.-H., see Wang, S.-L. (1260) 285
Parker, M.A., see Ludolph, D.C. (1260) 102
Penttinen, R.P.K., see Määttä, A. (1260) 294
Persson, L., see Svensson, F. (1260) 21
Petersen, T.E., see Johnsen, L.B. (1260) 116
Pope, J., see Samal, B.B. (1260) 27
Prasadan, K., Bates, J., Badgett, A., Dell, M., Sukhatme, V., Yu, H. and Kumar, S.
Nucleotide sequence and peptide motifs of mouse uromodulin (Tamm-Horsfall protein) – the most abundant protein in mammalian urine (1260) 328
Prestrelski, S.J., see Samal, B.B. (1260) 27

Roche, P.J., see Boon, W.C. (1260) 109
Roos, P.H., see Strotkamp, D. (1260) 341
Rosenthal, N.H., see Grossman, L.I. (1260) 361
Rozario, C., Smith, M.W. and Müller, M.
Primary sequence of a putative pyrophosphate-linked phosphofructokinase gene of *Giardia lamblia* (1260) 218
Rozé, A., Zakin, M.M. and Duchange, N.
Regulation of melanotransferrin gene in melanoma cells. Analysis of the enhancer region (1260) 301
Russo, T., see Esposito, F. (1260) 308

Sakakibara, J., see Kosuga, K. (1260) 345
Samal, B.B., Arakawa, T., Boone, T.C., Jones, T., Prestrelski, S.J., Narhi, L.O., Wen, J., Stearns, G.W., Crandall, C.A., Pope, J. and Suggs, S.
High level expression of human leukemia inhibitory factor (LIF) from a synthetic gene in *Escherichia coli* and the physical and biological characterization of the protein (1260) 27
Scheit, K.H., see Hagendorff, G. (1260) 259
Selvamurugan, N., Nag, M.K. and Eliceiri, G.L.
Intron-encoded small nucleolar RNAs: new RNA sequence variants and genomic loci (1260) 230
Séralini, G.-E., Luu-Thé, V. and Labrie, F.
Cloning and expression of human tyrosine aminotransferase cDNA (1260) 97
Sharma, H.S., Tang, Z.H., Gho, B.C.G. and Verdouw, P.D.
Nucleotide sequence and expression of the porcine vascular endothelial growth factor (1260) 235
Shimadzu, M., Nunoi, H., Terasaki, H., Ninomiya, R., Iwata, M., Kanegasaka, S. and Matsuda, I.
Structural organization of the gene for CD40 ligand: molecular analysis for diagnosis of X-linked hyper-IgM syndrome (1260) 67
Shinohara, Y., see Ichihara, J. (1260) 365
Sim, J., see Mickey, G. (1260) 123
Small, C.A., see Bone, S. (1260) 85
Smith, M.W., see Rozario, C. (1260) 218
Smith, R.C., see Ludolph, D.C. (1260) 102
Sørensen, E.S., see Johnsen, L.B. (1260) 116
Staron, K., Kowalska-Loth, B., Zabek, J., Czerwinski, R.M., Nieznanski, K. and Szumiel, I.
Topoisomerase I is differently phosphorylated in two sublines of L5178Y mouse lymphoma cells (1260) 35
Stearns, G.W., see Samal, B.B. (1260) 27
Strotkamp, D., Roos, P.H. and Hanstein, W.G.
A novel CYP3 gene from female rats (1260) 341
Suggs, S., see Samal, B.B. (1260) 27
Sukhatme, V., see Prasadan, K. (1260) 328
Sumida, M., see Kotani, E. (1260) 245
Sun, H.B., Neff, A.W., Mescher, A.L. and Malacinski, G.M.
Expression of the axolotl homologue of mouse chaperonin *t*-complex protein-1 during early development (1260) 157
Svensson, F. and Persson, L.
Regulation of mammalian *S*-adenosylmethionine decarboxylase as studied in a transient expression system (1260) 21
Szumiel, I., see Staron, K. (1260) 35

Taketo, A., see Kodaira, K.-I. (1260) 183
Taketo, A., see Kodaira, K.-I. (1260) 191
Takeuchi, J., Okada, M., Toh-e, A. and Kikuchi, Y.
The *SMS1* gene encoding a serine-rich transmembrane protein suppresses the temperature sensitivity of the *htr1* disruptant in *Saccharomyces cerevisiae* (1260) 94
Takimoto, Y. and Kuramoto, A.
Mechanism of regulation of PDGF-A chain gene expression by serum and TPA (1260) 176
Tam, M.-F., see Wang, S.-L. (1260) 285
Tang, Z.H., see Sharma, H.S. (1260) 235
Taniai, K., see Kotani, E. (1260) 245
Tashiro, M., see Kotani, E. (1260) 245
Taskén, K.A., Jacobsen, F.W., Eikvar, L., Hansson, V. and Haugen, T.B.
The α-subunit mRNAs for G_s and G_{o2} are differentially regulated by protein kinase A and protein kinase C in rat Sertoli cells (1260) 269
Terada, H., see Ichihara, J. (1260) 365
Terasaki, H., see Shimadzu, M. (1260) 67
To, A.C., see Gorin, M.B. (1260) 323
Toh-e, A., see Takeuchi, J. (1260) 94
Trackmán, P.C., Feres-Filho, E.J. and Choi, Y.-J.
The 3′-untranslated region of rat lysyl oxidase cDNA (1260) 355
Tripathi, R.L., see Huang, M. (1260) 215
Tsukamoto, T., see Hata, S. (1260) 55
Turner, G.P. and Kneale, G.G.
Site-directed mutagenesis of the M13 gene 5 protein: the role of Arg-21, Tyr-26 and Tyr-41 (1260) 79

Uddin, S., see Musarrat, J. (1260) 276
Uff, S., see Harrison, T.M. (1260) 147

Van den Berg, M.C., see De Kleijn, D.P.V. (1260) 62
Van Herp, F., see De Kleijn, D.P.V. (1260) 62
Vázquez-Ramos, J., see López, I. (1260) 119
Verdouw, P.D., see Sharma, H.S. (1260) 235
Vicente, O., see Einzenberger, E. (1260) 315
Von der Kammer, H., see Hagendorff, G. (1260) 259

Wang, S.-L., Tam, M.-F., Ho, Y.-S., Pai, S.-H. and Kao, M.-C.
Isolation and molecular cloning of human sorcin a calcium-binding protein in vincristine-resistant HOB1 lymphoma cells (1260) 285
Wani, A.A., see Musarrat, J. (1260) 276
Wen, J., see Samal, B.B. (1260) 27

Wills, C., see Mickey, G. (1260) 123
Wolffe, A.P., see Dimitrov, S. (1260) 1
Wool, I.G., see Chan, Y.-L. (1260) 113

Yamakawa, M., see Kotani, E. (1260) 245
Yamauchi, K., see Iwase, K. (1260) 139
Yasukawa, H., see Kodaira, K.-I. (1260) 183
Yu, H., see Prasadan, K. (1260) 328
Yuan, X. and Belote, J.M.
Determination of the molecular lesions associated with loss-of-function *transformer* alleles of *Drosophila melanogaster* (1260) 369

Zabek, J., see Staron, K. (1260) 35
Zakin, M.M., see Rozé, A. (1260) 301